

POLY 74-SERIES PART B

Material Safety Data Sheet

1. IDENTIFICATION

Product Identifier:	Poly 74-40 Liquid Rubber Part B Poly 74-44 Liquid Rubber Part B Poly 74-50 Liquid Rubber Part B Poly 74-55 Liquid Rubber Part B
Product Code(s): Use:	74-40B, 74-44B, 74-50B, 74-55B Component for Polyurethane Mold Rubber. For Industrial/Professional use only.
Schouten Syntec:	Raadhuislaan 7 3271 BS Mijnsheerenland The Netherlands
Phone Number: E-mail:	+31 (0) 186 60 36 00 info@schoutensyntec.com

2. HAZARDS IDENTIFICATION

GHS Classification:

Eye Irritation Category 2A
Specific Target Organ Toxicity - Repeated Exposure Category 2
Aquatic Chronic Toxicity Category 2

Label Elements: Warning!
Contains Diethyltoluenediamine

Hazard Phrases

H319 Causes serious eye irritation
H373 May cause damage to pancreas through prolonged or repeated exposure.

H411 Toxic to aquatic life with long-lasting effects.

Precautionary Phrases

P260 Do not breathe vapors.
P264 Wash thoroughly after handling.
P273 Avoid release to the environment
P314 Get medical advice if you feel unwell.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice or attention.
P391 Collect spillage.
P501 Dispose of contents and container to licensed, permitted incinerator, or other thermal destruction device in accordance with local and national regulations.

Supplemental Information: None known.

This is one part of a two-part system. Read and understand the hazard information on Part A before using.



3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS #	%
Diethyltoluenediamine	68479-98-1	10-15%

4. FIRST-AID MEASURES

Eye Contact:	Rinse thoroughly with water, holding the eyelids open to be sure the material is washed out. Get medical attention if irritation persists.
Skin Contact:	Remove contaminated clothing. Wash contact area thoroughly with soap and water. Get medical attention if irritation persists.

All technical and physical characteristics are average values. Changes made and printing/typesetting errors reserved. All deliveries are in accordance with our Terms and Conditions as used with the Chamber of Commerce and can be found at schoutensyntecshop.com/algemene-voorwaarden

POLY 74-SERIES PART B

Material Safety Data Sheet

Inhalation: Remove person to fresh air. Get medical attention if symptoms persist.
Ingestion: Do not induce vomiting unless directed to do so by medical personnel. Get medical attention.
Most Important Symptoms/Effects: May cause mild eye and skin irritation. May be harmful if swallowed.
Indication of Immediate Medical Attention/Special Treatment: Immediate medical attention is not required.

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Use water fog, foam, carbon dioxide or dry chemical. Do not use solid water stream. Solid stream of water into hot product may cause violent steam generation or eruption.
Specific Hazards: Not classified as flammable or combustible. Product will burn under fire conditions.
Special Protective Equipment & Precautions for Fire-Fighters: Wear positive pressure, self-contained breathing apparatus and full-body protective clothing. Cool fire-exposed containers with water.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Remove all ignition sources. Clear non-emergency personnel from the area. Wear appropriate protective clothing to prevent eye and skin contact and avoid breathing vapors. Caution – spill area may be slippery.
Methods and Materials for Containment and Cleanup: Cover with an inert absorbent material and collect into an appropriate container for disposal. Avoid releases to the environment. Report spills and releases as required to appropriate authorities.

7. HANDLING AND STORAGE

Safe Handling: Use with adequate ventilation. Avoid contact with the eyes, skin and clothing. Wash thoroughly after handling. Do not eat, drink or smoke in the work area. Keep container closed when not in use.
Safe Storage: Store indoors at temperatures below 49°C (120°F). Store in original containers. Avoid getting moisture into containers. Keep containers tightly closed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits: None Established
Ventilation: Use with adequate general or local exhaust ventilation to minimize exposure levels.
Respiratory Protection: If needed, an approved respirator with organic vapor cartridges may be used. Respirator selection and use should be based on contaminant type, form and concentration. For higher exposures or in an emergency, use a supplied-air respirator.
Skin Protection: Wear impervious gloves, such as butyl rubber or nitrile rubber.
Eye Protection: Wear chemical safety goggles.
Other Protective Measures: Wear impervious clothing to prevent skin contact and contamination of personal clothing. An eye wash facility and washing facility should be available in the work area. Follow applicable regulations and good Industrial Hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid of varied colors
Odor: Slightly pungent
Odor Threshold: No data available
pH: Not applicable
Melting Point: No data available
Boiling Point: No data available
Flash Point: >176.7 C (350 F)
Evaporation Rate: No data available
Upper/Lower Flammability Limits: No data available
Vapor Pressure: <0.01 mm Hg @ 25 °C
Vapor Density: No data available

All technical and physical characteristics are average values. Changes made and printing/typesetting errors reserved. All deliveries are in accordance with our Terms and Conditions as used with the Chamber of Commerce and can be found at schoutensyntecshop.com/algemene-voorwaarden

POLY 74-SERIES PART B

Material Safety Data Sheet

Relative Density:	~1.0 @ 25 C
Solubility:	Slightly soluble in water
Partition Coefficient:	n-octanol/Water: No data available
Auto-Ignition Temp:	No data available
Decomposition Temp:	No data available
Viscosity:	150-1500 cP

10. STABILITY AND REACTIVITY

Reactivity:	Not normally reactive.
Chemical Stability:	Stable under recommended conditions.
Possibility of Hazardous Reactions:	Reaction with strong oxidizers generates heat.
Conditions to Avoid:	Avoid excessive heat.
Incompatible Materials:	Avoid contact with strong oxidizers.
Hazardous Decomposition Products:	Thermal decomposition will generate oxides of carbon and nitrogen, organic acids, and other toxic organic compounds.

11. TOXICOLOGICAL INFORMATION

Eye Contact:	May cause moderate irritation.
Skin Contact:	May cause mild irritation.
Inhalation:	Vapor and mists may cause mild respiratory irritation.
Ingestion:	Single oral dose toxicity is low. No harmful effects anticipated from ingesting small amounts incidental to normal handling. Large amounts may cause gastrointestinal effects.
Chronic Health Effects:	None known.
Acute Toxicity Values:	
For Diethyltoluenediamine:	
Oral rat LD50 738 mg/kg; Inhalation rat LC50 2.45 mg/L/1 hr; Dermal rabbit LD50 >2000 mg/kg	
Skin Corrosion/Irritation:	Relevant components are not skin irritants.
Eye Damage/Irritation:	Diethyltoluenediamine is a severe eye irritant
Respiratory Irritation:	Relevant components are not classified as respiratory irritants.
Respiratory Sensitization:	Relevant components are not respiratory sensitizers.
Skin Sensitization:	Components are not skin sensitizers.
Germ Cell Mutagenicity:	Components are not mutagens.
Carcinogenicity:	None of the components are carcinogens.
Reproductive Toxicity:	None of the components are reproductive toxins.
Specific Target Organ Toxicity:	
Single Exposure:	No data available
Repeat Exposure:	In animal studies, diethyltoluenediamine caused adverse effects in the pancreas at 8-10 mg/kg. At higher doses, effects were seen in the liver and thyroid as well.

12. ECOLOGICAL INFORMATION

Ecotoxicity:	One ingredient is harmful to aquatic organisms: diethyltoluenediamine (Fish LC50 200 mg/L/48 hr; Daphnia EC50 0.5 mg/L/48 hr). Product is classed as hazardous to the aquatic environment
Degradability:	Not readily biodegradable.
Bioaccumulative Potential:	Not expected to bioaccumulate.
Mobility in Soil:	No data available.

13. DISPOSAL CONSIDERATIONS

Dispose according to local, state and federal regulations.

All technical and physical characteristics are average values. Changes made and printing/typesetting errors reserved. All deliveries are in accordance with our Terms and Conditions as used with the Chamber of Commerce and can be found at schoutensyntecshop.com/algemene-voorwaarden

POLY 74-SERIES PART B

Material Safety Data Sheet

14. TRANSPORT INFORMATION

Not regulated as a hazardous material by US DOT (49 CFR 171). For International shipments, the following shipping description applies: UN3082, Environmentally hazardous substance, liquid, n.o.s. (Diethyltoluenediamine), 9, III

15. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

CERCLA 103 Reportable Quantity: This product is not subject to reporting under CERCLA. Some states have more stringent reporting requirements. Report all spills in accordance with local, state, and federal regulations.

SARA TITLE III

Section 311/312: Acute Health, Chronic Health

Section 313 Toxic Chemicals: This product contains no chemicals subject to SARA Title III Section 313 Reporting requirements.

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on TSCA.

US STATE REGULATIONS:

California Proposition 65: This product does not contain substances known to the State of California to cause cancer and/or reproductive harm.

16. OTHER INFORMATION

Training Advice: All personnel using/handling this product should be trained in proper chemical handling and the need for and use of engineering controls and protective equipment.

Recommended Uses and Restrictions: This product is intended for industrial/professional use only.

SDS Revision Notes: Converted to GHS format. Modified product grouping based on classification

Disclaimer: The information contained herein is considered accurate; however, Schouten Group makes no warranty regarding the accuracy of the information. The user must determine the suitability of the product for the intended use and accepts all risk and liability associated with that use.

